

### **Additional PST Papers**

1. Feinberg E, Stein R, Diaz-Linhart Y, et al. Adaptation of problem-solving treatment for prevention of depression among low-income, culturally diverse mothers. *Fam Community Health*. Jan-Mar 2012;35(1):57-67.
2. Hassink-Franke LJ, van Weel-Baumgarten EM, Wierda E, et al. Effectiveness of problem-solving treatment by general practice registrars for patients with emotional symptoms. *J Prim Health Care*. Sep 2011;3(3):181-189.
3. Problem solving is an effective treatment for depression in primary care. *Bmj*. Jan 1 2000;320(7226):F.
4. Atha C, Salkovskis P, Storer D. Accident and emergency. Problem-solving treatment. *Nurs Times*. Apr 26-May 2 1989;85(17):45-47.
5. Atha C, Salkovskis PM, Storer D. Cognitive-behavioural problem solving in the treatment of patients attending a medical emergency department: a controlled trial. *J Psychosom Res*. May 1992;36(4):299-307.
6. Barrett JE, Williams JW, Jr., Oxman TE, et al. The treatment effectiveness project. A comparison of the effectiveness of paroxetine, problem-solving therapy, and placebo in the treatment of minor depression and dysthymia in primary care patients: background and research plan. *Gen Hosp Psychiatry*. Jul-Aug 1999;21(4):260-273.
7. Bense L, Szabo G. On the credibility of 'Credibility of problem-solving therapy and medication for the treatment of depression among primary care patients' by Thornett A, Mynors-Wallis, L. *Med Sci Monit*. Jun 2002;8(6):LE20-21; author reply LE22-23.
8. Bourke ML, Van Hasselt VB. Social problem-solving skills training for incarcerated offenders. A treatment manual. *Behav Modif*. Apr 2001;25(2):163-188.
9. Dowrick C, Dunn G, Ayuso-Mateos JL, et al. Problem solving treatment and group psychoeducation for depression: multicentre randomised controlled trial. Outcomes of Depression International Network (ODIN) Group. *Bmj*. Dec 9 2000;321(7274):1450-1454.
10. Epstein LH, Paluch RA, Gordy CC, Saelens BE, Ernst MM. Problem solving in the treatment of childhood obesity. *J Consult Clin Psychol*. Aug 2000;68(4):717-721.
11. Graves T, Meyers AW, Clark L. An evaluation of parental problem-solving training in the behavioral treatment of childhood obesity. *J Consult Clin Psychol*. Apr 1988;56(2):246-250.
12. Hassink-Franke LJ, olde Hartman TC, Beek MM, van Weel C, Lucassen PL, van Weel-Baumgarten EM. Problem-solving treatment in general practice residency: a focus group study of registrars' views. *Patient Educ Couns*. Oct 2011;85(1):106-112.
13. Hatcher S. Review: problem-solving treatment after deliberate self-harm improves depression, hopelessness, and personal problems. *ACP J Club*. Mar-Apr 2002;136(2):64.

14. Hatcher S, Coupe N, Durie M, et al. Te Ira Tangata: a Zelen randomised controlled trial of a treatment package including problem solving therapy compared to treatment as usual in Maori who present to hospital after self harm. *Trials*. 2011;12:117.
15. Hatcher S, Sharon C, House A, Collings S, Parag V, Collins N. The ACCESS study a Zelen randomised controlled trial of a treatment package including problem solving therapy compared to treatment as usual in people who present to hospital after self-harm: study protocol for a randomised controlled trial. *Trials*. 2011;12:135.
16. Haverkamp R, Arean P, Hegel MT, Unutzer J. Problem-solving treatment for complicated depression in late life: a case study in primary care. *Perspect Psychiatr Care*. Apr-Jun 2004;40(2):45-52.
17. Hegel MT, Dietrich AJ, Seville JL, Jordan CB. Training residents in problem-solving treatment of depression: a pilot feasibility and impact study. *Fam Med*. Mar 2004;36(3):204-208.
18. Herrick SM, Elliott TR. Social problem-solving abilities and personality disorder characteristics among dual-diagnosed persons in substance abuse treatment. *J Clin Psychol*. Jan 2001;57(1):75-92.
19. Jack LW. Use of milieu as a problem-solving strategy in addiction treatment. *Nurs Clin North Am*. Mar 1989;24(1):69-80.
20. Jacobson NS. Problem solving and contingency contracting in the treatment of marital discord. *J Consult Clin Psychol*. Feb 1977;45(1):92-100.
21. Kazdin AE, Esveltd-Dawson K, French NH, Unis AS. Effects of parent management training and problem-solving skills training combined in the treatment of antisocial child behavior. *J Am Acad Child Adolesc Psychiatry*. May 1987;26(3):416-424.
22. Kazdin AE, Esveltd-Dawson K, French NH, Unis AS. Problem-solving skills training and relationship therapy in the treatment of antisocial child behavior. *J Consult Clin Psychol*. Feb 1987;55(1):76-85.
23. Kazdin AE, Siegel TC, Bass D. Cognitive problem-solving skills training and parent management training in the treatment of antisocial behavior in children. *J Consult Clin Psychol*. Oct 1992;60(5):733-747.
24. Kendrick T, Simons L, Mynors-Wallis L, et al. Cost-effectiveness of referral for generic care or problem-solving treatment from community mental health nurses, compared with usual general practitioner care for common mental disorders: Randomised controlled trial. *Br J Psychiatry*. Jul 2006;189:50-59.
25. King M, Davidson O. Problem solving treatment for major depression in primary care. Problem solving treatment is time consuming. *Bmj*. May 13 1995;310(6989):1266.
26. Lam CL, Fong DY, Chin WY, Lee PW, Lam ET, Lo YY. Brief problem-solving treatment in primary care (PST-PC) was not more effective than placebo for elderly patients screened positive of psychological problems. *Int J Geriatr Psychiatry*. Oct 2010;25(10):968-980.
27. Mackin RS, Arean P, Elite-Marcandonatou A. Problem solving therapy for the treatment of depression for a patient with Parkinson's disease and mild

- cognitive impairment: a case study. *Neuropsychiatr Dis Treat*. Sep 2006;2(3):375-379.
28. Marchevsky D, Adebajo O. Problem solving treatment for depression. Study should have included placebo group. *Bmj*. May 13 2000;320(7245):1341.
  29. McLeavey BC, Daly RJ, Ludgate JW, Murray CM. Interpersonal problem-solving skills training in the treatment of self-poisoning patients. *Suicide Life Threat Behav*. Winter 1994;24(4):382-394.
  30. Meade V. A problem-solving approach to depression treatment in primary care. *Qual Lett Healthc Lead*. Jul-Aug 1997;9(7):12-16.
  31. Miotto EC, Evans JJ, de Lucia MC, Scaff M. Rehabilitation of executive dysfunction: a controlled trial of an attention and problem solving treatment group. *Neuropsychol Rehabil*. Aug 2009;19(4):517-540.
  32. Murawski ME, Milsom VA, Ross KM, et al. Problem solving, treatment adherence, and weight-loss outcome among women participating in lifestyle treatment for obesity. *Eat Behav*. Aug 2009;10(3):146-151.
  33. Mynors-Wallis L. Problem-solving treatment: evidence for effectiveness and feasibility in primary care. *Int J Psychiatry Med*. 1996;26(3):249-262.
  34. Mynors-Wallis L. Does problem-solving treatment work through resolving problems? *Psychol Med*. Oct 2002;32(7):1315-1319.
  35. Mynors-Wallis L, Davies I, Gray A, Barbour F, Gath D. A randomised controlled trial and cost analysis of problem-solving treatment for emotional disorders given by community nurses in primary care. *Br J Psychiatry*. Feb 1997;170:113-119.
  36. Mynors-Wallis LM, Gath DH, Day A, Baker F. Randomised controlled trial of problem solving treatment, antidepressant medication, and combined treatment for major depression in primary care. *Bmj*. Jan 1 2000;320(7226):26-30.
  37. Mynors-Wallis LM, Gath DH, Lloyd-Thomas AR, Tomlinson D. Randomised controlled trial comparing problem solving treatment with amitriptyline and placebo for major depression in primary care. *Bmj*. Feb 18 1995;310(6977):441-445.
  38. Rosen D, Morse JQ, Reynolds CF, 3rd. Adapting problem-solving therapy for depressed older adults in methadone maintenance treatment. *J Subst Abuse Treat*. Mar 2011;40(2):132-141.
  39. Salkovskis PM, Atha C, Storer D. Cognitive-behavioural problem solving in the treatment of patients who repeatedly attempt suicide. A controlled trial. *Br J Psychiatry*. Dec 1990;157:871-876.
  40. Sautter FJ, Heaney C, Hill R, Edwards SV, Winstead D, O'Neill P. The integration of inpatient treatment and transitional day hospital: application of a problem-solving approach. *Psychiatr Hosp*. Summer-Fall 1992;23(3-4):87-93.
  41. Schmalting KB, Hernandez DV. Problem-solving treatment for depression among Mexican Americans in primary care. *J Health Care Poor Underserved*. May 2008;19(2):466-477.

42. Schreuders B, van Oppen P, van Marwijk HW, Smit JH, Stalman WA. Frequent attenders in general practice: problem solving treatment provided by nurses [ISRCTN51021015]. *BMC Fam Pract*. Oct 12 2005;6:42.
43. Smeeth L. Problem solving treatment for major depression in primary care. Placebo treatment was meaningless. *Bmj*. May 13 1995;310(6989):1267.
44. Smeets RJ, Vlaeyen JW, Hidding A, Kester AD, van der Heijden GJ, Knottnerus JA. Chronic low back pain: physical training, graded activity with problem solving training, or both? The one-year post-treatment results of a randomized controlled trial. *Pain*. Feb 2008;134(3):263-276.
45. Stewart CD, Quinn A, Plever S, Emmerson B. Comparing cognitive behavior therapy, problem solving therapy, and treatment as usual in a high risk population. *Suicide Life Threat Behav*. Oct 2009;39(5):538-547.
46. Supnick JA, Colletti G. Relapse coping and problem solving training following treatment for smoking. *Addict Behav*. 1984;9(4):401-404.
47. Trilling JS. A problem-solving approach to the treatment of insomnia: selected case histories. *J Clin Psychiatry*. Jun 1992;53 Suppl:42-45.
48. Wade SL, Walz NC, Carey JC, Williams KM. Preliminary efficacy of a Web-based family problem-solving treatment program for adolescents with traumatic brain injury. *J Head Trauma Rehabil*. Nov-Dec 2008;23(6):369-377.
49. Wilkinson P, Mynors-Wallis L. Problem-solving therapy in the treatment of unexplained physical symptoms in primary care: a preliminary study. *J Psychosom Res*. Aug 1994;38(6):591-598.
50. Ghahramanlou-Holloway M, Bhar SS, Brown GK, Olsen C, Beck AT. Changes in problem-solving appraisal after cognitive therapy for the prevention of suicide. *Psychol Med*. Jun 2012;42(6):1185-1193.
51. Hopko DR, Armento ME, Robertson SM, et al. Brief behavioral activation and problem-solving therapy for depressed breast cancer patients: randomized trial. *J Consult Clin Psychol*. Dec 2011;79(6):834-849.
52. van't Hof E, Stein DJ, Marks I, Tomlinson M, Cuijpers P. The effectiveness of problem solving therapy in deprived South African communities: results from a pilot study. *BMC Psychiatry*. 2011;11:156.
53. McMurrin M, Crawford MJ, Reilly JG, et al. Psycho-education with problem solving (PEPS) therapy for adults with personality disorder: a pragmatic multi-site community-based randomised clinical trial. *Trials*. 2011;12:198.
54. Hatcher S, Sharon C, Parag V, Collins N. Problem-solving therapy for people who present to hospital with self-harm: Zelen randomised controlled trial. *Br J Psychiatry*. Oct 2011;199(4):310-316.
55. Alexopoulos GS, Raue PJ, Kiosses DN, et al. Problem-solving therapy and supportive therapy in older adults with major depression and executive dysfunction: effect on disability. *Arch Gen Psychiatry*. Jan 2011;68(1):33-41.
56. Gellis ZD, Bruce ML. Problem solving therapy for subthreshold depression in home healthcare patients with cardiovascular disease. *Am J Geriatr Psychiatry*. Jun 2010;18(6):464-474.
57. Hegel MT, Lyons KD, Hull JG, et al. Feasibility study of a randomized controlled trial of a telephone-delivered problem-solving-occupational therapy intervention to reduce participation restrictions in rural breast

- cancer survivors undergoing chemotherapy. *Psychooncology*. Oct 2011;20(10):1092-1101.
58. Kasckow J, Brown C, Morse JQ, et al. Racial preferences for participation in a depression prevention trial involving problem-solving therapy. *Psychiatr Serv*. Jul 2010;61(7):722-724.
  59. Arean PA, Raue P, Mackin RS, Kanellopoulos D, McCulloch C, Alexopoulos GS. Problem-solving therapy and supportive therapy in older adults with major depression and executive dysfunction. *Am J Psychiatry*. Nov 2010;167(11):1391-1398.
  60. Bell AC, D'Zurilla TJ. Problem-solving therapy for depression: a meta-analysis. *Clin Psychol Rev*. Jun 2009;29(4):348-353.
  61. Robinson RG, Arndt S. Incomplete financial disclosure in a study of escitalopram and problem-solving therapy for prevention of poststroke depression. *Jama*. Mar 11 2009;301(10):1023-1024.
  62. Paolucci S. Escitalopram and problem solving therapy reduce the incidence of post-stroke depression. *Evid Based Ment Health*. Feb 2009;12(1):10.
  63. Medication and talk therapy help prevent depression after a stroke. Antidepressants and problem-solving therapy can prevent or delay the onset of post-stroke depression. *Duke Med Health News*. Aug 2008;14(8):6-7.
  64. Akechi T, Hirai K, Motooka H, et al. Problem-solving therapy for psychological distress in Japanese cancer patients: preliminary clinical experience from psychiatric consultations. *Jpn J Clin Oncol*. Dec 2008;38(12):867-870.
  65. Rasmussen A, Hanash JA, Bech P. Escitalopram, problem-solving therapy, and poststroke depression. *Jama*. Oct 15 2008;300(15):1758; author reply 1758-1759.
  66. Schulte-Herbruggen O, Ropke S. Escitalopram, problem-solving therapy, and poststroke depression. *Jama*. Oct 15 2008;300(15):1757; author reply 1758-1759.
  67. Dettling M, Opgen-Rhein C, Anghelescu I. Escitalopram, problem-solving therapy, and poststroke depression. *Jama*. Oct 15 2008;300(15):1757; author reply 1758-1759.
  68. Lacasse J, Leo J. Escitalopram, problem-solving therapy, and poststroke depression. *Jama*. Oct 15 2008;300(15):1757-1758; author reply 1758-1759.
  69. Arean P, Hegel M, Vannoy S, Fan MY, Unutzer J. Effectiveness of problem-solving therapy for older, primary care patients with depression: results from the IMPACT project. *Gerontologist*. Jun 2008;48(3):311-323.
  70. Robinson RG, Jorge RE, Moser DJ, et al. Escitalopram and problem-solving therapy for prevention of poststroke depression: a randomized controlled trial. *Jama*. May 28 2008;299(20):2391-2400.
  71. Herman GT, Chen W. A fast algorithm for solving a linear feasibility problem with application to Intensity-Modulated Radiation Therapy. *Linear Algebra Appl*. Mar 1 2008;428(5-6):1207-1217.
  72. Ownby RL. Problem-solving therapy to prevent depression. *Curr Psychiatry Rep*. Feb 2008;10(1):7.

73. Alexopoulos GS, Raue PJ, Kanellopoulos D, Mackin S, Arean PA. Problem solving therapy for the depression-executive dysfunction syndrome of late life. *Int J Geriatr Psychiatry*. Aug 2008;23(8):782-788.
74. Paris J. Problem-solving therapy improves social functioning in people with personality disorder. *Evid Based Ment Health*. Nov 2007;10(4):121.
75. Liu SI, Huang HC, Yeh ZT, et al. Controlled trial of problem-solving therapy and consultation-liaison for common mental disorders in general medical settings in Taiwan. *Gen Hosp Psychiatry*. Sep-Oct 2007;29(5):402-408.
76. Gellis ZD, McGinty J, Horowitz A, Bruce ML, Misener E. Problem-solving therapy for late-life depression in home care: a randomized field trial. *Am J Geriatr Psychiatry*. Nov 2007;15(11):968-978.
77. Pierce D, Gunn J. GPs' use of problem solving therapy for depression: a qualitative study of barriers to and enablers of evidence based care. *BMC Fam Pract*. 2007;8:24.
78. Pierce D, Gunn J. Using problem solving therapy in general practice. *Aust Fam Physician*. Apr 2007;36(4):230-233.
79. Gallagher RM. Problem-solving therapy for pain in the older adult. *Pain Med*. Sep-Oct 2006;7(5):369.
80. Alexopoulos GS, Raue P, Arean P. Problem-solving therapy versus supportive therapy in geriatric major depression with executive dysfunction. *Am J Geriatr Psychiatry*. Jan-Feb 2003;11(1):46-52.
81. Arean PA, Perri MG, Nezu AM, Schein RL, Christopher F, Joseph TX. Comparative effectiveness of social problem-solving therapy and reminiscence therapy as treatments for depression in older adults. *J Consult Clin Psychol*. Dec 1993;61(6):1003-1010.
82. Pollack LE. Problem-solving group therapy: two inpatient models based on level of functioning. *Issues Ment Health Nurs*. Jan-Mar 1991;12(1):65-80.
83. Nezu AM, Perri MG. Social problem-solving therapy for unipolar depression: an initial dismantling investigation. *J Consult Clin Psychol*. Jun 1989;57(3):408-413.